

CERTIFICATE OF ANALYSIS



Reveal Q+ MAX for Zearalenone

SKU: 700002516

Product No.: 8188

Kit Lot No. 3000021022

Device Lot No. 106338

Exp. Date: Dec 31, 2024

PERFORMANCE

Incubation Time: 5 minutes

Room Temperature: ~ 30°C

READERS:

Reveal AccuScan Gold

Reveal AccuScan Pro

Raptor

AccuScan Gold



AccuScan Pro



Raptor



CURVE SETTINGS

AccuScan Gold Curve #1:

A: -07000 B: +1318

C: +1173 D: +3479

AccuScan Pro Curve #1:

07141012510633829.19-0.702+0.802+6.746+

AccuScan Gold Curve #2:

A: -99900 B: +0000

C: +1145 D: +6471

AccuScan Pro Curve #2:

07142012510633849.89-0.000+1.318+6.138+

TEST ITEM	SPECIFICATION	DECISION
Sensitivity:	Detects zearalenone levels at Corn = 50 ppb - 500 ppb. Wheat = 25 ppb - 500 ppb	Pass
Specificity:	Does not detect non-zearalenone substances in corn, wheat, or other commodities.	Pass

Variances in data may occur. External factors such as stress from shipping, storage conditions, handling or contamination of components may cause loss of color activity. Neogen Corporation certifies that this test kit has met all internal quality control specifications for this product.

Immunodiagnosics QC Supervisor

Date: Wednesday, August 14, 2024



CofA-700002516

Rev: 4

620 Leshler Place • Lansing, MI 48912 • 800.234.5333 (U.S. and Canada) • 517.372.9200

The Dairy School • Auchincruive • Ayr, KA6 5HU • Scotland, UK • +44 (0) 1292 525 600