Certificate of Analysis



TRYPTONE GLUCOSE EXTRACT (TGE) AGAR

BULK Lot No.: 3000003201 Exp. Date: NOV.30.2027

SKU: 700003428,700003429,700003430,700003431

Catalog No. NCM0158

PHYSICAL CHARACTERISTICS

<u>SPECIFICATION</u>		EXPECTED RESULTS	ACTUAL RESULTS
Dehydrated:	Appearance	Homogenous, free-flowing powder	Meets Expected Result
	Color	Light beige	Meets Expected Result
Prepared:	Appearance	Trace to slightly hazy	Meets Expected Result
	Color	Light beige to medium amber	Meets Expected Result
<u>pH</u> :		$7.0 \pm 0.2 \ @ \ 25^{\circ}C$	Meets Expected Result
Gel Strength		Record Value	873 g/cm ²

CULTURAL RESPONSE AND USP/EP/JP GROWTH PROMOTION TESTING

The medium was prepared according to label directions and inoculated with the organisms listed below. Cultures were incubated aerobically at the appropriate temperature and examined for growth at 47 to 49 hours.

		APPROX.		
MICROORGANISM	<u>ATCC</u>	INOCULUM (CFU)	EXPECTED RESULTS	ACTUAL RESULTS
Bacillus subtilis	6633	10-100	>70% Recovery	Meets Expected Result
Escherichia coli	25922	10-100	>70% Recovery	Meets Expected Result
Staphylococcus aureus	6538	10-100	>70% Recovery	Meets Expected Result
Staphylococcus epidermidis	12228	10-100	>70% Recovery	Meets Expected Result
Streptococcus pneumoniae	6305	10-100	>70% Recovery	Meets Expected Result
Streptococcus pyogenes	19615	10-100	>70% Recovery	Meets Expected Result

TEST SAMPLE	EXPECTED RESULTS	ACTUAL RESULTS
Unpasteurized (raw) milk	Excellent growth and recovery	Meets Expected Result
	with a t value of < 2.70	

ANIMAL DERIVED MATERIAL COUNTRY OF ORIGIN INFORMATION

ANIMAL DERIVED MATERIAL	TISSUE SOURCE/ RISK CATEGORY*	ANIMAL SPECIES	COUNTRY OF ORIGIN	CERTIFICATE OF SUITABILITY
Beef Extract	Skeletal Muscle/B *	Bovine	United States	R1-CEP #2001-299
Casein	Milk/ B*	Bovine	New Zealand	N/A
Enzyme	Pancreas/ NA**	Porcine	United States	N/A
* Risk Categories as defined by	the European Pharmacopeia.	** Not Applicable. "Non-TSE-relevant animal species."		



Certificate of Analysis



TRYPTONE GLUCOSE EXTRACT (TGE) AGAR

BULK Lot No.: 3000003201 Exp. Date: NOV.30.2027

SKU: 700003428,700003429,700003430,700003431

Catalog No. NCM0158

Product was tested in compliance to the regulation noted above. Where a regulation is not referenced, Neogen Corporation standard test methods were observed. Variances in data may occur. External factors such as adverse storage conditions or contamination of product may cause loss in performance. Neogen Corporation certifies that this lot met all quality control specifications for this product.

Rajat Sharma QC Supervisor

Thursday, November 16, 2023